

20160607 - 03 -PAINT

The Sumner County Board of Education, herein known as "School System", is soliciting bids for the purchase of paint. The bid will be for materials only.

BIDDER REQUIREMENTS

- Shall have a retail store convenient to the School System Maintenance personnel for in-store pickup.
- Shall honor the bid from July 1, 2016 thru June 30, 2017. In the event of a sudden price increase beyond the bidders' control, a written notice must be sent to the School System at least thirty (30) calendar days prior to the price increase. The School System reserves the right to reject the price increase and change suppliers.
- Shall include the cost of "color matching" in the cost of material. The School system will not process payment on additional cost for "color matching".

SPECIFICATIONS:

**As indicated, the specification is based off The Master Painters Institute (MPI).*

Epoxy:	A two component epoxy, high solids, low gloss coating for use on interior or exterior concrete, masonry and primed metal surfaces. Industrial grade quality. Price must include both Part A and Part B components. MPI# 108
Epoxy – Sealer:	A two-component, high solids, clear epoxy coating. High gloss finish. Resistance to alkalis, abrasion, corrosion, and chemicals. MPI# 212.
Latex (Exterior):	A pigmented, water based, emulsion type, semi-gloss paint for exterior masonry, stucco, primed metals, and wood (primarily trim, fascia, and smooth surfaces e.g. doors and door frames) where low to moderate contact can be anticipated. MPI# 11
Latex (Interior):	A white, or colored, water based latex-based paint with a finish between a traditional eggshell and a semi-gloss. MPI# 43
Oil Base (Exterior):	A solvent based, alkyd type, semi-gloss enamel for general use on exterior primed woods and metals. Paint systems using this coating will be specified for new and repainting work in residential, commercial, and light industrial applications. Recommended for trims, doors or windows and frames. MPI# 94
Oil Base (Interior):	A white, or colored, solvent based, semi-gloss alkyd paint for primed/sealed interior plaster, gypsum wallboard, wood and metal doors, and trim. MPI# 47

Polyurethane:	A single component moisture curing polyurethane, pigmented, solvent based semi-gloss enamel intended for use on properly prepared metal, concrete, gypsum board, plaster and wood surfaces for interior and exterior exposure. The enamel will have a high degree of water and chemical resistance and provide good resistance to exterior weathering. MPI# 202
Concrete Sealer (High Gloss):	A water based, acrylic co-polymer emulsion type, clear sealer for interior and exterior horizontal concrete floors, decks and exposed aggregate driveways and walkways. Oil, gasoline, alkali, and water resistant. MPI# 99
Primer:	A solvent based, alkyd type, pigmented primer/sealer for new interior wood, plaster and porous surfaces, and also for areas previously painted with flat paints. This product is used for new and repainting work residential and commercial buildings. MPI# 45
Concrete Block Filler:	A water based, high solids, emulsion type pigmented coating with bridging and filling properties for interior or exterior concrete masonry units, for the purpose of filling the surface for subsequent applications of paint. MPI#4
Traffic Paint:	A water based, latex type, pigmented coating used for interior or exterior, zone and parking line marking. Available in YELLOW, WHITE, BLUE and BLACK. Can be used with or without reflecting glass beads being broadcast over the surface. Primary application method is by spray, but can be applied by roller or brush. MPI# 97
Industrial Grade Enamel:	A medium oil, all-purpose enamel for use on properly prepared and primed steel, aluminum, wood, drywall and masonry surfaces. Available in Safety colors.

SUMNER COUNTY BOARD OF EDUCATION

Purchasing Department
1500 Airport Road
Gallatin, TN 37066

COMPANY NAME _____

ADDRESS _____

TELEPHONE _____

EMAIL _____

AUTHORIZED COMPANY REPRESENTATIVE _____ *SIGNATURE*

AUTHORIZED COMPANY REPRESENTATIVE _____ *PRINTED*

DATE _____

BID TITLE 20160607-03 PAINT

DEADLINE JUNE 7, 2016 @ 10:30 A.M.

BID AMOUNT SEE ATTACHED

BID GOOD THRU JULY 1, 2016 – JUNE 30, 2017

NOTES: _____

